L Number	Hits	Search Text	DB	Time stamp
1	271374	(location\$4 or position\$4) near5 (transducer or sensor)	USPAT;	2004/04/29 13:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	43	(voltage adj2 current adj3 converter) same ((location\$4 or position\$4) near5	USPAT;	2004/04/29 14:26
	1	(transducer or sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
3	12	(voltage adj2 current adj3 converter) same (sens\$3 near2 voltage near2	USPAT;	2004/04/29 14:27
		signal)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

L Number	Hits	Search Text	DB	Time stamp
1	271374	(location\$4 or position\$4) near5 (transducer or sensor)	USPAT;	2004/04/29 13:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	43	(voltage adj2 current adj3 converter) same ((location\$4 or position\$4) near5	USPAT;	2004/04/29 15:30
		(transducer or sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
3	12	(voltage adj2 current adj3 converter) same (sens\$3 near2 voltage near2	USPAT;	2004/04/29 14:27
		signal)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	7204	(supply adj voltage) and ((location\$4 or position\$4) near5 (transducer or	USPAT;	2004/04/29 15:31
		sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
5	71	(	IBM_TDB	2004/04/20 15 20
3	/1	(voltage adj2 current adj3 converter) and ((supply adj voltage) and	USPAT;	2004/04/29 15:32
		((location\$4 or position\$4) near5 (transducer or sensor)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
6	12547	(suppl\$3 near1 voltage) and ((location\$4 or position\$4) near5 (transducer or	IBM_TDB USPAT;	2004/04/20 15:22
0	12347	sensor))		2004/04/29 15:32
		sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
7	117	(voltage adj2 current adj3 converter) and ((suppl\$3 near1 voltage) and	IBM_TDB	2004/04/20 15:22
,	11/	((location\$4 or position\$4) near5 (transducer or sensor)))	USPAT;	2004/04/29 15:32
		((iocations of positions ) hears (transducer of sensor)))	US-PGPUB;	
j			EPO; JPO; DERWENT;	
			IBM TDB	
			IDM IDB	

L Number	Hits	Search Text	DB	Time stamp
1	271374	(location\$4 or position\$4) near5 (transducer or sensor)	USPAT;	2004/04/29 13:15
			US-PGPUB;	
	-		EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
2	43	(voltage adj2 current adj3 converter) same ((location\$4 or position\$4) near5	USPĀT;	2004/04/29 15:30
		(transducer or sensor))	US-PGPUB;	
i			EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	12	(voltage adj2 current adj3 converter) same (sens\$3 near2 voltage near2	USPĀT;	2004/04/29 14:27
		signal)	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
			IBM TDB	
4	7204	(supply adj voltage) and ((location\$4 or position\$4) near5 (transducer or	USPAT;	2004/04/29 15:31
		sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
5	71	(voltage adj2 current adj3 converter) and ((supply adj voltage) and	USPAT;	2004/04/29 15:32
		((location\$4 or position\$4) near5 (transducer or sensor)))	US-PGPUB;	
			EPO; JPO;	
	ĺ		DERWENT;	
			IBM_TDB	
6	12547	(suppl\$3 near1 voltage) and ((location\$4 or position\$4) near5 (transducer or	USPAT;	2004/04/29 15:32
		sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	117	(voltage adj2 current adj3 converter) and ((suppl\$3 near1 voltage) and	USPAT;	2004/04/29 16:11
i		((location\$4 or position\$4) near5 (transducer or sensor)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
8	2	4760285.pn.	USPAT;	2004/04/29 15:56
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
9	4104	(1-11-4: -66-4) ((14: -64	IBM_TDB	2004/04/2015
9	4184		USPAT;	2004/04/29 16:14
	ĺ	sensor))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10	3043	(hall adj effect) with ((location\$4 or position\$4) near5 (transducer or sensor))	IBM_TDB USPAT;	2004/04/20 16:14
10	30 <del>4</del> 3	(train adj erreet) with ((tocations4 of positions4) hears (trainsducer or sensor))	1	2004/04/29 16:14
[			US-PGPUB;	
			EPO; JPO; DERWENT;	
12	44	((hall adj effect) same ((location\$4 or position\$4) near5 (transducer or	IBM_TDB USPAT;	2004/04/20 16:15
12	44	sensor))) and ((hall adj effect) with (supply adj voltage))		2004/04/29 16:15
		sensory, and ((nan adj enece) with (supply adj voltage))	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
11	109	(hall adj effect) with (supply adj voltage)	USPAT;	2004/04/29 16:22
* *	109	(man adj cricci) with (supply adj voltage)	US-PGPUB;	2004/04/23 10:22
			EPO; JPO;	
			DERWENT;	
	,		IBM TDB	
L			TOM_TOD	

13	65	((hall adj effect) with (supply adj voltage)) not (((hall adj effect) same	USPAT;	2004/04/29 16:22
		((location\$4 or position\$4) near5 (transducer or sensor))) and ((hall adj	US-PGPUB;	
		effect) with (supply adj voltage)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	